



For the Professional Driver



2022 Catalog





Silver Bullet FG CB Antenna - Black

Antenna Specs:

- 15 Gauge Solid Copper High Voltage Insulated Wire
- 1/2" Diameter U.S. Made Fiberglass Rod
- Durable PVC Shrink Tubing
- Quality Chrome Plated Brass Ferrule & Top
- Stainless Steel Tuning Tip & 3/8-24 Thread Base Stud
- 1000 Watt Rated – 32" & 40"
- 1250 Watt Rated – 48"
- 1500 Watt Rated – 56" & 66"
- Extreme Bandwidth Frequency Range
 - CB ----- 26 – 29 MHz
 - AM/FM ----- 88 – 108 MHz
 - Weather ----- 162 – 166 MHz

DRX-4321

32" Silver Bullet

UPC 734139843213
Weight per pc. .95lbs
Size per pc. 3.5x36.5
Carton Qty. 12
Carton Weight: 13 lbs.
Carton Size: 43.75x6.5x4.3750

DRX-4401

40" Silver Bullet

UPC 734139844012
Weight per pc. 1.2 lbs
Size per pc. 3.5x44.5
Carton Qty. 12
Carton Weight: 14 lbs.
Carton Size: 54.25x6.5x4.3750

DRX-4481

48" Silver Bullet

UPC 734139844814
Weight per pc. 1.20lbs.
Size per pc. 3.5x52.5
Carton Qty. 12
Carton Weight: 16 lbs.
Carton Size: 54.25x6.5x4.3750

DRX-4561

56" Silver Bullet

UPC 734139845613
Weight per pc. 1.4 lbs.
Size per pc. 3.5x60.5
Carton Qty. 12
Carton Weight: 17 lbs
Carton Size: 62.25x6.5x4.3750

DRX-4661

66" Silver Bullet

UPC 734139846610
Weight per pc. 1.6 lbs
Size Per pc. 3.5x69
Carton Qty. 12
Carton Weight: 19 lbs.
Carton Size: 72.5x6.5x4.3750



38 Special FG CB Antenna - Black

Antenna Specs:

- Dual Solid Copper Insulated Wires
- 3/8" Diameter U.S. Made Fiberglass Rod
- Whistle Free wrap reduces unwanted wind noise
- Poor ground plane forgiveness
- 40+ Channels of coverage
- NOAA Weather Band ready
- Chrome Plated Brass Ferrule with 3/8-24 Thread
- Power handling ratings are based on peak AM power
 - 42" - 350 Watt Rated
 - 54" - 450 Watt Rated
 - 60" - 500 Watt Rated
- Frequency Range:
 - CB ----- 26 – 29 MHz
 - Weather ----- 162 – 166 MHz

DRX-5301

30" 38 Special

UPC 734139853014
Weight per pc. .6lbs
Size per cp. 3.5x36
Carton Qty: 12
Carton Weight: 8.6 lbs.
Carton Size: 45x6.5x4.3750

DRX-5421

42" 38 Special

UPC 734139854219
Weight per pc. .75lbs
Size per pc. 3.5x46
Carton Qty: 12
Carton Weight: 9 lbs.
Carton Size: 54.25x6.5x4.3750

DRX-5541

54" 38 Special

UPC 734139855414
Weight per pc. .8lbs
Size per pc. 3.5x58
Carton Qty: 12
Carton Weight: 11 lbs.
Carton Size: 62.25x6.5x4.3750

DRX-5601

60" 38 Special

UPC 734139856015
Weight per pc. .8lbs
Size per pc. 3.5x64
Carton Qty. 12
Carton Weight: 12 lbs.
Carton Size: 72.5x6.5x4.3750



MICROPHONES



Best Communications Grade Microphone



**DRX-6560 Dynamic
Mic Noise Cancelling**
UPC 734139865604
Weight per pc. .8lbs.
Size per pc. 6.75x10x3
Carton Qty. 12
Carton Weight: 14lbs.
Carton Size: 18x14.5x11

DX656 Noise Cancelling Dynamic Mic

Mic Specs:

- Ergonomic design and contoured switch for comfortable feel
- Rugged chrome plated grill
- Extra-long strain relief for durability
- High quality 9 foot cord
- Acoustically tuned for natural sound and clarity
- Internal diffuser to eliminate breath pops
- Standard 4 pin 6 conductor wiring
 - Pin 1 (Ground) Shield & Blue
 - Pin 2 (Audio) White
 - Pin 3 (TX) Red
 - Pin 4 (RX) Black
 - Yellow wire is unused
- Type: Dynamic noise cancelling system
- Sensitivity: -54 dB +/- 3dB (1V/Pa @1 KHz)
- Measurable impedance: 500 ohm's +/- 30 ohm's
- Frequency response: 55 Hz – 7 KHz (proximity effect compensated)
- No battery or power source required



**DRX-2020
Heavy Duty Mic Holder**
UPC 734139820207
Weight per pc. .05lbs.
Size per pc. 5x2x1
Carton Qty. 16
Carton Weight: 2lbs
Carton Size: 12x12x3



SPEAKERS



High Efficiency Communications Grade External Speaker



DX901 Premium External Speaker

Speaker Specs:

- Versatile Wedge Design
- Heavy Duty Mounting Bracket
- Detachable Speaker Cable
- Power Handling: 15 watts nominal
- Impedance: 6 ohms
- Linear Frequency Response: 150 Hz-6 KHz
- Operating Temp: -4° F ~ +140° F
- Speaker Cord: 10 Ft. 20 gauge twisted pair low inductance wire cord
- Plugs: 3.5mm straight to right angle
- Dimensions: 5.0 in. (W) x 4.5 in. (D) x 4.75 in. (H)
- Weight: 2 lbs. 5 oz. (including bracket & screws)

**DRX-9010
Premium External Speaker** UPC
734139890101
Weight per pc. 2.2lbs.
Size per pc. 8.5x10x5
Carton Qty. 6
Carton Weight: 19lbs.
Carton Size: 19.25X15.25X11.5

**Designed for
Larger
Antennas**



DRX-3402
UPC 734139834020 Weight
per pc. .8lbs
Size per pc. 4x8x2.5
Carton Qty. 12
Carton Weight: 11lbs.
Carton Size: 15x12x10

Magnum Mirror Mount w/DX239 Stud Mount

Features:

- Extra-large 2.50" wide mount made from .250" thick aircraft quality extruded aluminum designed for larger antennas
- Driver Extreme Exclusive Square-Lock Hardware
 - Custom designed stainless steel carriage bolts with an extended square shank seat completely into mount bracket eliminating the chance of turning and allowing installation with only one wrench
 - Stainless steel K-Lock nuts feature an encapsulated lock washers eliminating any chance of losing the washer during installation
- Proprietary designed DX239 heavy-duty stud
 - Threaded female nut made of stainless steel and encased in ABS plastic for added support
 - Stainless steel center stud inside of a 1" plated aluminum hex base



DX3232



DX3242



C-CHANNEL ANTENNA CLAMP MOUNTS w/DX239 STUD

DX3232 Mount Features:

- Fits 1-1/8" Freightliner C-Channel mirror arms
- Omni-Grip mount design for 360° holding stability
- Made from aircraft quality extruded aluminum

DX3242 Mount Features:

- Fits 1-1/4" Mack, Navistar & Volvo C-Channel mirror arms
- Omni-Grip mount design for 360° holding stability
- Made from aircraft quality extruded aluminum

DRX-3232

UPC 734139832323
Weight per pc. .8lbs.
Size per pc. 4x8x3.25
Carton Qty. 12
Carton Weight: 11lbs.
Carton Size: 15x12x10

DRX-3242

UPC 734139832422
Weight per pc. .8lbs.
Size per pc. 4x8x3.25
Carton Qty. 12
Carton Weight: 11lbs.
Carton Size: 15x12x10



**Proprietary
Design for
Larger
Antennas**

DX239 Stud Mount

Features

- Threaded female nut made of stainless steel and encased in ABS plastic for added support
- Stainless steel center stud insulated inside of a 1" plated aluminum hex base

DRX-2390

UPC 734139823901
Weight per pc. .2lbs.
Size per pc. 3x5x1.75
Carton Qty. 16
Carton weight: 5lbs.
Carton Size: 12x12x3



Classic Freightliner P3 Cascadia Mirror Base Mount New Freightliner P4 Cascadia Mirror Base Mount

Mount Specs:

- **Forward Angle Design with Adjustment 60° (P3) or 40° (P4)**
- **Heavy-Duty Design for Larger Antennas**
 - Made with 5 gauge aircraft quality aluminum
 - Mounts on either driver's or passenger's side
- **Driver Extreme Exclusive Square-Lock Hardware**
 - Stainless steel carriage bolts with an extended square shank seat completely into mount bracket eliminating the chance of turning and allowing installation with only one wrench
 - Stainless steel K-Lock nuts feature an encapsulated lock washer eliminating any chance of losing the washer during installation
- **Proprietary Designed DX239 Heavy-Duty Stud**
 - 3/8-24 threaded nut made of stainless steel and encased in ABS plastic for added support
 - Stainless steel center stud inside of a 1" plated aluminum hex base

DRX-3502

UPC 734139835027
Weight per pc. 1lbs.
Size per pc. 6x11x3
Carton Qty. 12
Carton Weight: 14lbs.
Carton Size: 20x12x6

DRX-3552

UPC 734139835522
Weight per pc. 1lbs.
Size per pc. 6x11x3
Carton Qty. 12
Carton Weight: 14lbs.
Carton Size: 20x12x6



Only One Wrench Needed!

Custom designed stainless steel carriage bolts with extended square shank seat completely into mount bracket allowing installation with only one wrench.

Stainless steel K-Lock nuts feature an encapsulated lock washer eliminating any chance of losing the washer during installation.

DX Series Stainless Steel Mounting Bars

Mounting Bar Features:

DRX-1750 - 4.5" long bar with a M8 thread is designed for Volvo, Mack and older truck models, mirror design lends a top-of-cab bolt location.

DRX-1850 - 6.5" long bar with a M8 thread is designed for lower mirror base and back-of-cab mounting on Freightliner Cascadia, Navistar LT and trucks that aerodynamic mirror designs.

DRX-1950 - 6" long bar with M6 thread is designed for top-of-cab spot mirror bolt location mounting or any location with a M6 thread bolt.

DRX-1750

UPC 734139817504
Weight per pc. .4lbs.
Size per pc. 2x8x1
Carton Qty. 16
Carton Weight: 9lbs
Carton Size: 12x12x3

DRX-1850

UPC 734139818501
Weight per pc. .6lbs
Size per pc. 2x11x1
Qty. 12
Carton Weight: 9lbs. Carton
Size: 12x12x3

DRX-1950

UPC 734139819508
Weight per pc. .8lbs.
Size per pc. 2x11x1
Carton Qty. 12 Carton
Weight: 9lbs. Carton
Size: 11x12x3





DRX-3682
UPC 734139729531
Weight per pc. .8lbs.
Size per pc. 6x8x3
Carton Qty. 12
Carton Weight: 13lbs.
Carton Size:20x12x6

Kenworth T680/T880 Mirror Arm Mount

Mount Features:

- Fits 2013 & up Kenworth T680/T880 mirror arms
- Mounts on either driver's or passenger's side mirror arm
- Made of 5mm thick aircraft quality aluminum
- Black matte powder coated finish
- Stainless steel mounting hardware included
- Proprietary designed DX239 heavy-duty stud
- Threaded female nut made of stainless steel and encased in ABS plastic for added support.
- Stainless steel center stud inside of a 1" plated aluminum hex base



**Only One
Wrench
Needed!**

Custom designed stainless steel carriage bolts with extended square shank seat completely into mount bracket allowing installation with only one wrench.

Stainless steel K-Lock nuts feature an encapsulated lock washer eliminating any chance of losing the washer during installation.



DRX-3702
UPC 734139729531
Weight per pc. 1.4lbs.
Size per pc. 6.75x15.5x3
Carton Qty.4
Carton Weight:6.8lbs
Carton Size:20x12x6

International LT Series Door Mount

Mount Features

- Fits 2017 & Up International LT Series Trucks
- Mounts on either driver's or passengers side door hinge
- Made of 5mm thick aircraft quality aluminum
- black matte powder coated finish
- Stainless steel mounting hardware included
- Proprietary designed DX239 heavy-duty stud

Threaded female nut made of stainless steel and encased in ABS plastic for added support.

Stainless steel center stud inside of a 1" plated aluminum hex base



MISCELLANEOUS

Driver Extreme Carries Many More Great Products for the Professional Driver!



DRX-2440
Stainless Steel
Antenna Spring
UPC 734139823901
Weight per pc. .6lbs.
Size per pc. 2x8x1.25
Carton Qty. 16
Carton Weight: 10lbs.
Carton Size: 12x12x3



DRX-7120
HD 3-Pin Power
Cord w/12V Cig Cord
UPC 734139671209

Weight per pc. .6lbs
Size per pc. 4x8x1.5
Carton Qty. 12
Carton Weight: 5lbs.
Carton Size: 14x10x6

DRX-7110
HD 3-Pin Fused
Power Cord 6'
UPC 734139871100
Weight per pc. .6lbs.
Size per pc. 4x8x1.5
Carton Qty. 12
Carton Weight: 5lbs.
Carton Size: 14x10x6



DRX-6030
SWR Meter w/18"
Coax Jumper Cable
UPC 734139860302
Weight per pc. .8lbs.
Size per pc. 4x3.5x3
Carton Qty. 8
Carton Weight: 7lbs.
Carton Size: 14x10x6



DRX-7050
Universal Power Line
Filter
UPC 734139870509
Weight per pc. .4lbs.
Size per pc. 4x8x2.5
Carton Qty. 12
Carton Weight: 8lbs.
Carton Size: 15x12x10



COAXIAL CABLES

Quantum-Flex Cables

9' Cable with Patented DX259 Connector
12' Cable with Patented DX259 Connector
18' Cable with Patented DX259 Connector
Overview:

M213™ Quantum-Flex coaxial cable delivers RG213 like performance in a mobile installation size cable. We reduced the diameter, doubled the shielding and improved the overall flexibility. The polyethylene dielectric keeps heavy gauge conductor more centered resulting in consistent impedance with improved power handling. The DX259 patented (Pat. 9,071,012) 2-piece male UHF connector allows for installation through a 12mm hole. Direct soldering to the center conductor eliminates signal loss and increases power handling ability unlike other adapter style UHF connectors.



Center Conductor: 15 Gauge Stranded Copper	
Dielectric: Solid Polyethylene 5.1mm	
Foil Tape: Aluminum 100%	
Braiding: Tinned Copper 96% Coverage	
Jacket: Black PVC - 7.6mm OD	
Attenuation:	
Frequency-(MHz)	Max.(dB/100ft)
5	0.55
14	0.88
27	1.21
52	1.66
146	2.80
221	3.50
435	5.11
915	7.69

DRX-1509
9'Coaxial Cable
w/DX259 Connector
UPC 734139815098
Weight per pc. .6lbs.
Size per pc. 5.75x8x2
Carton Qty. 12
Carton Weight: 11lbs
Carton Size: 20x12x6

DRX-1512
12'Coaxial Cable w/
DX259 Connector
UPC 734139815128
Weight per pc. 1lbs.
Size per pc. 5.75x8x2.25
Carton Qty. 12
Carton Weight: 13lbs.
Carton Size: 20x21x6

DRX-1518
18' Coaxial Cable w/
DX259 Connector
UPC 734139815180
Weight per pc.1.2lbs.
Size per pc. 5.75x8x2.75
Carton Qty. 12
Carton Weight: 16lbs.
Carton Size: 20x12x6



Assembled and
Tested in U.S.A.

ISO 9001 Certified

***The Driver Extreme philosophy:
Make the best better – make it extreme!***

Driver Extreme is a line of products designed specifically for the professional driver. What makes our products extreme? They are innovative products designed with advanced technology utilizing the most durable, highest quality components for superior performance and dependability. We have taken proven product designs and improved the performance along with ease of use. Become an extreme driver with Driver Extreme!

**VISIT OUR
WEB SITE:**



www.driverextreme.com



address: 504 North Oak Street Onarga IL • office: 815-268-4303

• fax: 815-268-4313 • customerservice@procommproducts.com